

Section 1

EU CERTIFICATE OF CONFORMITY


The undersigned: **Ali Noke, Plant Manager** at CAKE, hereby certifies that the following complete vehicle:

0.1.	Make:	:	CAKE
0.2.	Type:	:	Makka
0.2.1.	Variant:	:	B
0.2.2.	Version:	:	Makka Range
0.2.3.	Commercial Name	:	Makka Range
0.3.	Category, subcategory and sub-subcategory of vehicle	:	L1e-B
0.4.	Company name and address of manufacturer	:	Cake 0 Emission AB Hammarby Fabriksväg 43 120 30 Stockholm Sweden
0.5.1.	Location of the manufacturer's statutory plate	:	R, X597, Y81, Z125
0.5.2.	Method of attachment of the manufacturer's statutory plate(s)	:	Self-destructive label
0.6.	Location of the vehicle identification number	:	R, X749, Y110, Z55
1.	Vehicle Identification Number	:	YW2C4H015NA000059

conforms in all respects to the type described in EU type approval **e9*168/2013*11876*00** issued on **07/02/2022** and can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

Stockholm, Sweden

2022-06-28



Ali Noke,
Plant Manager

Section 2

VEHICLE CATEGORY L

General construction characteristics

1.3.	Number of axles	:	2
	and wheels	:	2
1.3.2.	Powered axles	:	R
6.2.4	Advanced braking system	:	None

Main dimensions

2.2.1.	Length	:	1741 mm
2.2.2.	Width	:	727 mm
2.2.3.	Height	:	1032 mm
2.2.4.	Wheelbase	:	1214 mm

Masses

2.1.1.	Mass in running order	:	57,5 kg
2.1.2.	Actual mass	:	144 kg
2.1.3.	Technically permissible maximum laden mass	:	245 kg
2.1.3.1.	Technically permissible maximum mass on front axle	:	110 kg
2.1.3.2.	Technically permissible maximum mass on rear axle	:	135 kg

Powertrain

3.1.2.1.	Manufacturer	:	QS Motor
3.1.2.2.	Electric motor code	:	C48Vxxxxxxx
3.3.3.4.	30 minutes power	:	0,65 kW
3.3.1.	Electric vehicle configuration	:	Pure electric

Maximum speed

1.8.	Maximum speed of vehicle	:	25 km/h
------	--------------------------	---	---------

Drive-train and control

3.5.3.9.	Transmission (type)	:	N/A								
3.5.4.	Gear ratios	:									
	1 : 1		2 : N/A		3 : N/A		4 : N/A		5 : N/A		6 : N/A
3.5.4.1.	Final drive ratio	:	1								
3.5.4.2.	Overall gear ratio in highest gear	:	1								

Installation of tyres

6.18.1.1.	Tyre size designation	:	Axle 1: Tyre size: 3.0-14 Min. load capacity index: 40 Minimum speed category: B Tyre pressure: 225 kPa Rim size: 1.85"x14"	Axle 2: Tyre size: 3.0-14 Min. load capacity index: 40 Minimum speed category: B Tyre pressure: 225 kPa Rim size: 1.85"x14"
-----------	-----------------------	---	---	---

Bodywork

6.16.1.	Number of seating positions	:	2
---------	-----------------------------	---	---

Environmental performance

4.0.1.	Environmental step	:	Euro 5
4.0.6.	Sound level measured according to	:	N/A
4.0.6.1.	Stationary	:	N/A dB(A)
	at engine speed	:	N/A min ⁻¹
4.0.6.2.	Drive-by	:	N/A dB(A)
4.0.6.3.	Limit value for L _{urban}	:	N/A dB(A)
3.2.15.	Exhaust emissions measured according to	:	N/A
3.2.15.1.	Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable	:	N/A
3.2.15.2.	Type II test: tailpipe emissions at (increased) idle and free acceleration	:	N/A

Energy efficiency

4.0.4.	Energy consumption	:	88 Wh/km
4.0.5.	Electric range	:	66 km